25X1	Approved For Release 2003/12/19: CIA-RDP78T0475 9A0100 00010115-9 25X1
	Copy 9
	MEMORANDUM FOR: 25X1
	SUBJECT : Search for THICK EIGHT HF/DF Facilities, USSR
	REFERENCES: NSA/PO4/SPO/R-061-72 (NPIC Project 251267)
25X1D	1. In response to the referenced requirement, 17 locations in the USSR were searched for THICK EIGHT high-frequency/direction-finding (HF/DF) facilities. The requirement also requested an analysis of any associated HF communications antennas. THICK EIGHT HF/DF facilities were identified at five of the 17 locations. Communications antennas were not identified at any of the THICK EIGHT or HF/DF facilities.
25X1D	
	2. Confirmed THICK EIGHT HF/DF facilities were observed at the following locations.  a. Nomme THICK EIGHT Facility
25X1A	a. Nomme THICK EIGHT Facility  59-20-00N 024-37-20E
25X1A	b. Petrozavodsk THICK EIGHT Facility 61-54-00N 034-13-00E
25X1A	c. Yuzhnyy THICK EIGHT Facility 49-52-24N 036-08-09E
25X1A	d. Simferopol DF Facility THICK EIGHT  44-58-20N 034-02-15E
) )	e. Yuzhno-Sakhalinsk THICK EIGHT Facility 46-57-00N 142-41-00E
25X1A	
Declass Re	eview by NIMA / DoD

GROUP 1
Excluded from automatic downgrading and declassive Release 2003/12/19: CIA-RDP78T04759A010000010115-9
TOP SECRET

25X1

SUBJECT: Search for THICK EIGHT HF/DF Facilities, USSR

- 3. No THICK EIGHT facilities were identified at the following locations.
  - a. Orenburg 51-49-00N 055-08-00E
  - b.. Orsk 51-17-00N 058-36-00E
  - Sestroretsk c. 60-05-00N 029-56-00E
  - d. Tbilisi 40-09-00N 044-23-00E
  - Vilnyus 54-41-00N 025-19-00E
- The following facility is not a THICK EIGHT but an HF/ DF facility of an undetermined type.
  - Petrozavodsk Probable DF Facility 61-52-00N 034-12-00E
- The following facility was previously identified as a probable THICK EIGHT, but it can now be identified as a probable FIX 24.
  - Ussuriysk Prob THICK EIGHT Facility a. 43-57-00N 131-48-00E
  - The following facility is a probable FIX 8. 6.
    - Uglovoye Prob FIX EIGHT Facility 43-23-00N 131-58-00E

25X1A

25X1A

25X1A

25X1D

Α

SUBJECT: Search for THICK EIGHT HF/DF Facilities, USSR

7. The following facility was previously identified as having two THICK EIGHT antennas. It can now be identified as a probable water pumping station, rather than an HF/DF facility.

a. Taganrog THICK EIGHT Facilities 47-13-20N 038-52-00E

25X1A

a. Narva Suspect THICK EIGHT Facility 59-20-00N 028-14-00E

25X1A

9. This project is considered to be complete. Any further inquiries should be directed to NPIC/IEG/MSD/DMEB, IDS Code 143 25X1A

		25X1
Chief		
•	NPIC	

## Distribution:

Cy 1&2 - TCO/NSA/PO4/SPO

384 - NPIC/IEG/MSD

5 - NPIC/PSG/R&RD

6 - NPIC/IEG/OD/RCB

7 - NPIC/PSG/RRD/ESS

8 - NSA/LO/NPIC

9 - CIA/DDI/IRS/Recce/R

10 - CIA/IAS

11 - DS-3B8

12 - DS-3B9

13 - TCO/NRTSC

25X1

Γ

3

Approved For Release 2003/12/19 : CIA-RDP78T04759A010000010115-9

TOP SECRET